

# 1951<sup>TM</sup>

Foundations



# Specification Guide 2025

# Kota



PAINTED STEEL



# Designed for Every Budget

With 70 years of industry expertise, 1951 Cabinetry delivers exceptional craftsmanship at an affordable price. Our Foundations cabinetry line upholds this standard, featuring two stunning, budget-friendly door styles in popular finishes.

Our **Kota door style** features a recessed Shaker panel, bringing timeless beauty into any space. It comes in two versatile neutral shades: Painted Steel and Painted Lily.

The **Alor door style** is a partial overlay design that captures the charm of the Shaker style and is available in our Painted Lily color, which blends seamlessly into any environment.

Each door style allows homeowners to effortlessly design their kitchens, baths, and living spaces to reflect their personal style, transforming their homes into beautiful sanctuaries—all within budget.

# Alor



PAINTED LILY



# Table of Contents

## Important Information

---

4 Warranty Information

## Door Styles

---

6 Kota Recessed Shaker Panel (FOL)

7 Alor Recessed Shaker Panel (POL)

## Standard Specifications

---

10 Cabinet Opening Dimensions

10 Ceiling Height Requirements

11 Standard Construction

## Product Specifications

---

14 Wall Cabinets

16 Base Cabinets

20 Utility and Oven Cabinets

21 Vanity Cabinets

21 Accessory Items

24 Molding

25 Hardware Specifications

26 Parts

## New Arrivals

### Base Cabinet Expansion

---

- Base Easy Reach (BER36L and BER36R)

### Hardware Finish Expansion

---

- Brushed Gold Hardware

# Important Information

## 1951 Foundations Cabinetry Lifetime Limited Warranty

The manufacturer of 1951 Foundations cabinetry warrants to the original residential or commercial purchaser that all 1951 Foundations cabinetry, cabinets, and accessories, are free from defects in materials and workmanship for the following durations, subject to the limitations set forth below:

**Original residential purchaser:** An “original residential purchaser” is defined as any person who purchases the cabinetry for personal use in his or her private residence. The duration of this limited warranty begins at the date of delivery to the residence and extends until such time as that residential purchaser no longer resides at the residence. “Residential purchaser” extends to any person who owns and resides in the residence where the cabinetry is installed, for whom the cabinetry is purchased by a contractor, remodeler or other person/entity, except in commercial applications defined below.

**Original commercial purchaser:** An “original commercial purchaser” is any person or entity, including but not limited to landlords, leasing companies, contractors, remodelers, and private or public businesses, who purchases the cabinetry for installation and use in any location that will be leased or used as a rental unit, or used for any other commercial or industrial application. The duration of this limited warranty is five years from the date of the product delivery to the location.

Proof of purchase is required. This limited warranty is expressly limited to repair or replacement of the cabinetry at the discretion of the manufacturer. This limited warranty does not include labor costs for removal, repairs, installation, or replacement.

This limited warranty does not cover defects, damage, or failure caused by improper handling, cleaning, installation, storage, assembly or disassembly, intentional damage, unauthorized product modifications and repairs, exposure to the elements including extreme humidity, moisture, or temperatures which may result in warping, splitting, or finish failure, accidental misuse, abuse, or negligence. Humidity levels in the home with cabinetry outside the range of 30-50% and temperature levels outside the range of 50-85°F are considered extreme.

Natural woods may vary in texture, color, and wood grain, and exhibit subtle changes as they age. For example, wood joints may develop visible cracking around the joint area and cabinet colors may darken or lighten over time.

Sunlight, smoke, moisture, household cleaners and other environmental conditions may cause materials to vary from their original color and/or to warp, split or crack. These variations are considered to be the nature of the material in relation to its environmental exposure and are not covered under this limited warranty.

THE MANUFACTURER OF 1951 FOUNDATIONS CABINETRY MAKES NO OTHER WARRANTIES OTHER THAN THOSE SET FORTH HEREIN AND ALL OTHER WARRANTIES ARE HEREBY DISCLAIMED.

THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE LIMITED IN DURATION TO THE LENGTH OF THE LIMITED WARRANTY PERIOD.

THE LIMITED WARRANTIES SET FORTH HEREIN ARE LIMITED TO THE FIRST AND ORIGINAL BUYER AND ARE NOT TRANSFERABLE THEREAFTER. PROOF OF PURCHASE IS REQUIRED TO DETERMINE ELIGIBILITY.

EXCEPT AS PROVIDED IN THIS LIMITED WARRANTY AND TO THE MAXIMUM EXTENT PERMITTED BY LAW, THE MANUFACTURER OF 1951 FOUNDATIONS CABINETRY SHALL NOT BE LIABLE FOR INCIDENTAL, DIRECT, INDIRECT, CONSEQUENTIAL, OR SPECIAL DAMAGES TO THE PURCHASER OR TO ANY THIRD PARTY RESULTING FROM ANY BREACH OF WARRANTY OR CONDITION, OR UNDER ANY OTHER LEGAL THEORY, INCLUDING BUT NOT LIMITED TO: LOSS OF USE, LOST PROFITS, LOSS OF BUSINESS OPPORTUNITY, LOSS OF PROPERTY, OR OTHER ECONOMIC LOSSES. THE FOREGOING LIMITATION SHALL NOT APPLY TO PERSONAL INJURY CLAIMS OR ANY STATUTORY LIABILITY FOR INTENTIONAL AND GROSS NEGLIGENT ACTS AND/OR OMISSIONS.

## Additional Exclusions, Limitations and Disclaimers

This limited warranty limits the coverage period for the following components that were not manufactured by American Woodmark:

**Range hood blowers and components—one year from the date of delivery**

SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, OR

LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATIONS AND EXCLUSIONS MAY NOT APPLY TO YOU.

THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS, WHICH VARY FROM STATE TO STATE.

## Claims

All claims under this limited warranty must be submitted to the manufacturer and must specify the defects present in the cabinets and accessories. Photos or samples of the product may be required to determine coverage.

After the manufacturer has had an opportunity to inspect the cabinets and/or accessories, it will, at its discretion, ship at no cost to the



customer, replacement cabinets and/or parts necessary for repair. Products may require chemical or function testing to determine resolution of a warranty claim. Replacement products are subject to availability and may differ from those originally supplied.


Submit all claims to 1951 Cabinetry at PO Box 1980, Winchester, VA 22604, [partners@woodmark.com](mailto:partners@woodmark.com), OR 877-957-7278.

## Continuous Improvement

In keeping with our policy of continuous product refinement, 1951 Cabinetry reserves the right to change specifications in design and materials as conditions require.

# Door Styles





## Full Overlay - Recessed Shaker Panel

Exuding an elegant simplicity, the full-overlay door of the Kota style embodies the timeless appeal and adaptability of Shaker design. The Lily and Steel painted finishes showcased here offer a wealth of creative possibilities, allowing you to craft a spectrum of aesthetics. Whether you're inclined towards a contemporary, modern look or yearn for the cozy charm of a farmhouse ambiance, the Kota door style stands as a superb choice, aligning perfectly with enduring design trends.

### Features

---

#### CONSTRUCTION

Recessed Shaker Panel

#### DOOR DETAILS

Full Overlay


#### DRAWER

5-Piece

#### FINISHES

Painted Lily .....90PMS

Painted Steel .....90MYS



## Partial Overlay - Recessed Shaker Panel

A master of adaptability, the partial-overlay door featured in the Alor style perfectly encapsulates the enduring charm and versatility of Shaker design. The showcased Lily painted finish opens the door to a treasure trove of creative options, enabling you to curate a diverse range of visual aesthetics. Alor effortlessly brings forth an air of refined elegance in a formal setting while also extending a warm, casual invitation in the cozy ambiance of a modern farmhouse retreat, presenting an exceptional choice, harmoniously aligned with the latest design trends.

### Features

---

#### CONSTRUCTION

Recessed Shaker Panel

#### DOOR DETAILS

Partial Overlay

#### DRAWER


Slab

#### FINISHES

Painted Lily ..... 92MPS


## Full Overlay Dimensions

Full overlay doors are sized to cover nearly all of the cabinet face frame. Full overlay door styles require decorative hardware. To facilitate proper door operation, include at least a 1" filler between the hinged side of full overlay door styles and deeper adjacent objects including cabinets, walls, appliances and countertops.




## Partial Overlay Dimensions

Partial Overlay (POL) doors are sized to show about an inch of the cabinet face frame, giving the door some visual depth. Partial Overlay door styles do not require decorative hardware.




# Standard Specs




# Cabinet Opening Dimensions

Illustrations specify dimensions of vertical stiles and horizontal rails, inset toe kick, and standard interior opening heights. When selecting cabinetry for installation above or near any appliance, refer to the appliance manufacturer's specifications for clearance and venting requirements.



# Ceiling Height Requirements

This illustration specifies the ceiling height requirements for tall cabinets (utility and oven).




Height	Cabinet Depth	Minimum Ceiling Height A
84"	24"	86 1/2"
90"	24"	92 5/16"
96"	24"	96"


**Notes:**

- 96" high tall cabinets have 4" toe kick assembly shipped inside the cabinet

## Wall Cabinets



- 1 Top/Bottom Panels: ½" plywood
- 2 Face Frame: 1 ⅝" wide hardwood
- 3 Back Panel: ⅛" plywood
- 4 End Panels: ½" plywood exterior to match cabinet finish
- 5 Interiors: Finished with a natural woodgrain look
- 6 Adjustable Shelves: ¾" plywood
- 7 Hinges: 6-way adjustable soft-close
- 8 Door: Reversible door on single-door cabinets for left or right opening; hinged on the left from the factory; double-door cabinets are butt doors with no center stile.
- 9 Hanging Rail: ½" plywood



## Base Cabinets

- 1 Drawer Glides: Full-access undermount soft close
- 2 Drawer Box: ⅝" hardwood dovetail box with fully encapsulated bottom
- 3 Bottom Panels: ½" plywood
- 4 Face Frame: 1 ⅝" wide hardwood
- 5 Back Panel: ⅛" plywood
- 6 End Panels: ½" plywood exterior to match cabinet finish
- 7 Interiors: Finished with a natural woodgrain look
- 8 Half-Depth Adjustable Shelf: ¾" plywood
- 9 Hinges: 6-way adjustable soft-close
- 10 Door: Reversible door on single-door cabinets for left or right opening; hinged on the left from the factory; double-door cabinets are butt doors with no center stile
- 11 Hanging Rail: ¾" hardwood

## Care & Cleaning

---

While our finishing processes promote durability, care should be taken to preserve the original factory finish:

- Wipe up spills immediately
- Use mild soaps only
- Be sure to read all cabinet care guidelines and cleaning product instructions carefully


Use a touch-up stick to fill any scratches or nicks and remove excess residue, leaving a smooth surface. Touch-up kits are included with every kitchen sink base cabinet or can be ordered separately as needed.

The 1951 Foundations collection is crafted to be complemented by the 1951 Cabinetry line, offering a seamless integration for your design projects. Enhance your offerings by incorporating 1951 Cabinetry to expand color options and SKUs, creating spaces your clients will adore. Please note, upgrading the construction of 1951 Cabinetry will be necessary to align with the structure of 1951 Foundations. Downloadable literature is available at <https://1951cabinetry.com/about/resource-center>




All cabinetry manufactured by 1951 Foundations™ is certified by the Kitchen Cabinet Manufacturers Association (KCMA). 1951 Foundations™ has received certification by KCMA Environmental Stewardship Program on all products.

# Product Specs



# Wall Cabinets SPECIFICATIONS

## Wall Cabinet • 1 Door




36" High Shown

- Hinged left, field reversible

30" High • 2 Shelves	36" High • 2 Shelves	42" High • 3 Shelves
W930	W936	W942
W1230	W1236	W1242
W1530	W1536	W1542
W1830	W1836	W1842
W2130	W2136	W2142

## Wall Cabinet • 2 Butt Doors




15" High Shown

12" High • No Shelf	15" High • No Shelf	18" High • 1 Shelf
W3012 BUTT	W3015 BUTT	W3018 BUTT
W3612 BUTT	W3615 BUTT	W3618 BUTT


  

24" High • 1 Shelf
W3024 BUTT
W3624 BUTT

## Corner Wall Cabinet



36" High Shown




Top View

- Installs in a 24" x 24" wall area
- Hinged left, field reversible

30" High • 2 Shelves	36" High • 2 Shelves	42" High • 3 Shelves
CW2430	CW2436	CW2442


## Wall Cabinet • 2 Butt Doors



36" High Shown

30" High • 2 Shelves	36" High • 2 Shelves	42" High • 3 Shelves
W2430 BUTT	W2436 BUTT	W2442 BUTT
W2730 BUTT	W2736 BUTT	W2742 BUTT
W3030 BUTT	W3036 BUTT	W3042 BUTT
W3330 BUTT	W3336 BUTT	W3342 BUTT
W3630 BUTT	W3636 BUTT	W3642 BUTT

## 24" Deep Wall Cabinet • 2 Butt Doors



15" High Shown


- Must be attached to back wall and either cabinet or walls on both sides

12" High • No Shelf	15" High • No Shelf	18" High • 1 Shelf
W3312 X 24DP BUTT	W3315 X 24DP BUTT	W3318 X 24DP BUTT
W3612 X 24DP BUTT	W3615 X 24DP BUTT	W3618 X 24DP BUTT


  

24" High • 1 Shelf
W3324 X 24DP BUTT
W3624 X 24DP BUTT

## Wall Easy Reach



36" High Shown




Top View

- Must be ordered as hinged left or right
- Doors open 170°
- Stile width and outside profile of both doors at door-to-door hinge may vary from standard dimension and profile for proper door function

30"H • 2 Shelves	36"H • 2 Shelves	42"H • 3 Shelves
WER2430	WER2436	WER2442

# Wall Cabinets SPECIFICATIONS

## Blind Wall Cabinet



42" High Shown

## Full Overlay Door Styles

Full Overlay door styles require decorative hardware, which has been calculated into dimensions.

CABINET	ACTUAL CABINET WIDTH	DOOR OPENING	DOOR(S)	WALL SPACE A			EXPOSED FRAME B	
				MIN. SPACE	MAX. PULL	MAX. SPACE	MIN. SPACE	MAX. SPACE
BLW30/33_	30"	14 3/4"	DR18__	32 1/4"	1 3/4"	34"	20 1/4"	22"
BLW33/36_	33"	17 3/4"	DR21__	35 1/4"	1 3/4"	37"	23 1/4"	25"

## Partial Overlay Door Styles

Wall Space A requirements include optional decorative hardware clearance. 1/4" may be deducted if decorative hardware is not used.


CABINET	ACTUAL CABINET WIDTH	DOOR OPENING	DOOR(S)	WALL SPACE A			EXPOSED FRAME B	
				MIN. SPACE	MAX. PULL	MAX. SPACE	MIN. SPACE	MAX. SPACE
BLW30/33_	30"	14 3/4"	DR18__	31 3/8"	2 5/8"	34"	19 3/8"	22"
BLW33/36_	33"	17 3/4"	DR21__	34 3/8"	2 5/8"	37"	22 3/8"	25"

- Cabinet shown as right indicating blind opening is on the right side of cabinet (cabinet hinged left, field reversible)
- Includes 1/8" panel to cover blind opening (field trim and install)
- Must order Universal Filler separately

30" High - 2 Shelves	36" High - 2 Shelves	42" High - 3 Shelves
BLW30/3330	BLW30/3336	BLW30/3342
BLW33/3630	BLW33/3636	BLW33/3642

# Base Cabinets SPECIFICATIONS

## Base • 1 Door and 1 Drawer




- Features full-access undermount soft-close drawer glides
- Half-depth adjustable shelf included
- Hinged left, field reversible

### 34 1/2" High • 1 Shelf

B12  
B15  
B18  
B21

## Base Wastebasket • 1 Door, 1 Drawer with Wastebasket Pull-Out




- Features full-access undermount soft-close drawer glides
- Includes two 35-quart waste baskets

### 34 1/2" High

BWBB18-2

## Full-Height Base Cabinet • 1 Door



- Half-depth adjustable shelf included (excluding TB9)
- Hinged left, field reversible


### 34 1/2" High • No Shelf

TB9

### 34 1/2" High • 1 Shelf

B12 FH  
B15 FH  
B18 FH  
B21 FH

## Base • 2 Butt Doors and 1 Drawer




- Features full-access undermount soft-close drawer glides
- Half-depth adjustable shelf included

### 34 1/2" High • 1 Shelf

B24 BUTT  
B27 BUTT  
B30 BUTT  
B33 BUTT  
B36 1TD BUTT

## Full-Height Base Cabinets • 2 Butt Doors




- Half-depth adjustable shelf included

### 34 1/2" High

B24 BUTT FH  
B30 BUTT FH  
B36 BUTT FH

## Drawer Base Cabinet • 3 Drawers




- Features full-access undermount soft-close drawer glides

### 34 1/2" High

DB15  
DB18  
DB21  
DB24  
DB30  
DB36 1TD

# Base Cabinets SPECIFICATIONS

## Sink/Cooktop Base - 2 Butt Doors




- Full-height back panel
- No shelf
- Subtract 1 1/2" from width and 1 1/8" from depth for available sink bowl opening
- Refer to sink/cooktop manufacturer's specifications for adequate clearance and required installation materials
- Touch-up kit included

### 34 1/2" High - No Shelf

SB24 BUTT  
SB27 BUTT  
SB30 BUTT  
SB33 BUTT  
SB36 BUTT

## Deep Sink/Range Base - 2 Butt Doors




A MIN.	A MAX.	B	C MAX. FOL	C MAX. POL
29 3/4"	34"	2 7/8"	10"	10 1/2"

- 3 1/8" stiles and 9 1/4" rails are trimmable to accommodate various size apron-front sinks and cooktops
- No shelf
- Refer to sink/cooktop manufacturer's specifications for adequate clearance and required installation materials
- Touch-up kit included

### 34 1/2" High - No Shelf

DSB36 BUTT

## Corner Sink Front



- Vertical edges of frame are mitered to attach to adjacent cabinet frames
- Order floor and returns separately (field trimming may be required)
- Filler not required for installation

### 34 1/2" High

CSF36


A

35 3 1/2"

B

16 15/16"

## Base Microwave Cabinet - 2 Drawers



- Microwave opening finished to match
- Designed to accommodate countertop style microwave
- Features two standard depth drawers
- Refer to appliance manufacturer's specifications for adequate clearances

### 34 1/2" High



BMC27

A

23 3/4"

# Base Cabinets SPECIFICATIONS



## Base Easy Reach NEW! PRODUCT



- One adjustable half-depth shelf (non-removable)
- Must be ordered hinged left or right
- Features finished sides
- Stile width and outside profile of both doors at door-to-door hinge may vary from standard dimension and profile for proper door function
- Doors open 170°
- Cabinet requires a minimum of 32" to fit through doorway
- Additional space recommended if appliance is installed on the hinge side of this cabinet for proper door operation – decorative hardware should be taken into consideration for the overall depth of appliance

34½" High Shelf - 1 Shelf	A	B	C
BER36L	36"	23½"	14 5/8"
BER36R	36"	23½"	14 5/8"

## Base Super Susan • Wood Spin Unit




- Wood Spin Units feature:
  - » One fixed spin unit mounted on cabinet floor
  - » One spin unit attached to ¾" adjustable shelf
  - » Natural wood finish with 1" lip
- Must be ordered hinged left or right
- Features finished sides
- Stile width and outside profile of both doors at door-to-door hinge may vary from standard dimension and profile for proper door function
- Doors open 170 degrees
- Cabinet requires a minimum of 32" to fit through doorway (removal of cabinet door recommended)
- Additional space recommended if appliance is installed on the hinge side of this cabinet for proper door operation - decorative hardware should be taken into consideration for the overall depth of appliance

34½" High	A	B	C	D
BSS33L WD	33"	20 ½"	10 7/16"	28"
BSS33R WD	33"	20 ½"	10 7/16"	28"
BSS36L WD	36"	23 ½"	14 5/8"	32"
BSS36R WD	36"	23 ½"	14 5/8"	32"

# Base Cabinets SPECIFICATIONS

## Blind Corner Base - 1 Door and 1 Drawer



## Full Overlay Door Styles

Full Overlay door styles require decorative hardware, which has been calculated into dimensions.

\*Dimension requirements do not include optional Overlay Fillers - add 7/8" if Overlay Fillers will be used.

CABINET	ACTUAL CABINET WIDTH	WALL SPACE A			EXPOSED FRAME B		C DOOR OPENING	DOOR(S)
		MIN. SPACE*	MAX. PULL	MAX. SPACE	MIN. SPACE*	MAX. SPACE		
BLB36/39	27"	38 1/4"	1 3/4"	40"	14 1/4"	16"	8 3/4"	DR1224
BLB39/42	33"	41 1/4"	1 3/4"	43"	17 1/4"	19"	11 3/4"	DR1524
BLB42/45	39"	44 1/4"	1 3/4"	46"	20 1/4"	22"	14 3/4"	DR1824
BLB45/48	45"	47 1/4"	1 3/4"	49"	23 1/4"	25"	17 3/4"	DR2124

## Partial Overlay Door Styles

Wall Space A requirements include optional decorative hardware clearance.

1/4" may be deducted if decorative hardware is not used.

CABINET	ACTUAL CABINET WIDTH	WALL SPACE A			EXPOSED FRAME B		C DOOR OPENING	DOOR(S)
		MIN. SPACE	MAX. PULL	MAX. SPACE	MIN. SPACE	MAX. SPACE		
BLB36/39	27"	37 3/8"	2 5/8"	40"	13 3/8"	16"	8 3/4"	DR1224
BLB39/42	33"	40 3/8"	2 5/8"	43"	16 3/8"	19"	11 3/4"	DR1524
BLB42/45	39"	43 3/8"	2 5/8"	46"	19 3/8"	22"	14 3/4"	DR1824
BLB45/48	45"	46 3/8"	2 5/8"	49"	22 3/8"	25"	17 3/4"	DR2124

- Half-depth adjustable shelf included
- Features full-access undermount soft-close drawer glides
- Blind base door and drawer are installed in the left section
- Door and drawer can be reversed in the field, as blind sections are identical
- Refer to the chart for specifications
- Must order filler separately
- Center support for shelf provided for cabinets 39" or wider


### 34 1/2" High - 1 Shelf

BLB36/39  
BLB39/42  
BLB42/45  
BLB45/48

# Utility Cabinets SPECIFICATIONS

# Oven Cabinets SPECIFICATIONS

## Utility Cabinet • 2 Doors




84" High Shown

- 96" high cabinets ship with a removable toe kick that is field installed
- Upper door lines up with 30", 36", and 42" high wall cabinets
- Shelves ship separately for field installation

<b>84" High • 5 Shelves</b>	<b>90" High • 6 Shelves</b>	<b>96" High • 7 Shelves</b>
UT1824 X 84 AS	UT1824 X 90 AS	UT1824 X 96 AS

## Utility Cabinet • 4 Butt Doors




84" High Shown

- 96" high has removable toe kick that is field installed
- Upper door lines up with 30", 36", and 42" high wall cabinets
- Shelves ship separately for field installation

<b>84" High • 5 Shelves</b>	<b>90" High • 6 Shelves</b>	<b>96" High • 7 Shelves</b>
UT2424 X 84 AS BUTT	UT2424 X 90 AS BUTT	UT2424 X 96 AS BUTT
UT3024 X 84 AS BUTT	UT3024 X 90 AS BUTT	UT3024 X 96 AS BUTT

## Double Oven Cabinet • 2 Butt Doors and 1 Drawer



90" High Shown


- 96" high cabinets ship with a removable toe kick that is field installed
- 3 1/8" stiles and 9 1/4" rails around oven opening are trimmable
- Refer to appliance manufacturer's specifications for adequate clearances and required installation materials

<b>84" High • No Shelf</b>	<b>90" High • 1 Shelf</b>	<b>96" High • 2 Shelves</b>
OVD3384 BUTT	OVD3390 AS BUTT	OVD3396 AS BUTT

CABINET	A MIN.	A MAX.	B MIN.	B MAX.	B MAX. (Drawer Removed*)
OVD3384 BUTT	26 3/4"	31"	39"	54 1/4"	60 1/4"
OVD3390 AS BUTT	26 3/4"	31"	38 5/8"	53 7/8"	59 7/8"
OVD3396 AS BUTT	26 3/4"	31"	39"	54 1/4"	60 1/4"

\*Maximum height includes removing drawer unit and frame horizontal

## Vanity Sink Base - 2 Butt Doors and 1 Drawer Panel




- Subtract 1 1/2" from width and 1 1/8" from depth for available sink bowl opening
- Refer to sink manufacturer's specifications for adequate clearance and required installation materials

### 34 1/2" High - No Shelf

VSB2434H BUTT  
 VSB2734H BUTT  
 VSB3034H BUTT  
 VSB3334H BUTT  
 VSB3634H BUTT

## Vanity Drawer Base - 3 Drawers




- Features full-access undermount soft-close drawer glides

### 34 1/2" High

VDB1234H  
 VDB1534H  
 VDB1834H


## Kneehole Drawer Cabinet



- Field Trimmable in Height to 4 3/4"

	A	B	Max. Trim
KDC33/27	33"	23 3/4"	27" (3" each side)

## End Panel



- Exterior finished to match
- Wall panels are 1 1/4" deep x 42 7/8" high x 3/64" thick
- Base panels are 23 1/4" deep x 34 1/2" high x 3/64" thick
- Tall panels are 23 1/4" deep x 96" high x 3/64" thick
- Finished panels are 96" wide x 34 1/2" high x 3/64" thick

### Wall Panel

WEP42

### Base Panel

BEP34


### Finished Panel

FP9634

### Tall Panel

TEP96

## Wood Panel



- Engineered wood
- Both sides finished to match
- Wood panels (WP9648) is 96" wide x 48" high and 3/4" thick
- Deep wood panels (DWTEP96) is 32" wide x 96" high and 3/4" thick
- Wood tall panels (WTEP96) is 96" wide x 48" high and 3/4" thick

### Deep Wood Tall Panel

DWTEP96

### Wood Panel


WP9648

### Wood Tall Panel

WTEP96

# Accessory Items SPECIFICATIONS

## Dishwasher Return • ½" Panel




- Reversible for left or right installation
- Exterior finished to match
- Front filler can be trimmed to a minimum of 1" wide
- Can be notched for toe kick in the field
- Wall attachment block included

**34½" High**

DWR3

## Refrigerator Return • ½" Panel




- Reversible for left or right installation
- Exterior finished to match
- Front filler can be trimmed to a minimum of 1" wide
- Field trimmable in height, can be notched for toe kick

**96" High**

RR96


## Sink/Vanity Front Return



- Features ½" engineered wood
- Outside finished to match
- Specify left or right
- Attaching blocks included
- Field trimmable

SFRR  
SFRL

## Sink Base Mat




- Field installation accessory
- Designed to funnel any leaks or spills out the front of the cabinet while protecting the cabinet floor
- Features flexible material in gray finish - easily trimmable
- Minor field trimming required for use in Deep Sink Base cabinets

SBMAT30

SBMAT33

SBMAT36


## Sink Front Floor



- Features ½" engineered wood
- For use for CSF36 (field trim to fit)
- Field trimmable

FL48X48

## Roll Out Tray Kit




- Field installed accessory
- Kit includes roll out tray and all hardware
- Features dovetail drawer with full-access undermount soft-close drawer glides
- Glides ship unattached for field installation

	<b>A</b>	<b>A</b>	
DROT15	10 ¾"	DROT27	22 ¾"
DROT18	13 ¾"	DROT30	25 ¾"
DROT21	16 ¾"	DROT33	28 ¾"
DROT24	19 ¾"	DROT36	31 ¾"

# Accessory Items SPECIFICATIONS

## Tilt Out Tray Kit




- Field installation accessory
- Kit features tray and one pair of scissor hinges
- Order units individually
- STO TRAY 22:
  - » Order one unit for SB30, SB33 or SB36
- Sink front units match sink base sizes as noted above
- Tilt-Out Trays are NOT dishwasher safe

### Stainless

STO TRAY 22


## Wall & Base Fillers



- UF\_\_ are 3/4" solid wood and finished on front, both long edges and one short edge
- S3S\_\_ are 3/4" solid wood and finished on front and all four edges

3" Filler	Height	6" Filler	Height
UF3	30 1/2"	UF6	30 1/2"
UF342	42 1/8"	UF642	42 1/8"
UF392	92"	UF692	92"
S3S396	96"	S3S696	96"

## Toe Kick



- 94" long

BTK8


## Spray Stain



- SPRAY STAIN TINTED available for all finishes
- SPRAY STAIN CLEAR for use as top coat for all door styles
- Indicate species and finish when ordering
- 11 ounce aerosol spray can

SPRAY STAIN CLEAR  
SPRAY STAIN TINTED


## Touch-Up Kit



- Kit for repairing minor dents, gouges, scratches and surface imperfections
- Kit includes:
  - » PUTTY STICK EXTERIOR
  - » TU MARKER EXTERIOR
  - » BUMPER CLEAR - strip of 4 door bumpers

TOUCHUP KIT

## Curved Corbel




- For decorative use only


CS12

# Moldings SPECIFICATIONS


## Crown Molding



TRADITIONAL CROWN



ANGLED CROWN



COVE CROWN

- 94" long
- Bold line in illustration indicates finished surfaces

### Traditional Crown

CM8


### Angled Crown

ACM8

### Cove Crown

SCVM8


## Ogee Pilaster Molding



- 94" long
- For use with furniture toe or top molding applications
- Bold line in illustration indicates finished surfaces

OGP8


## Starter Molding




- 94" long
- Bold line in illustration indicates finished surfaces

STRM8


## Trim Molding




SCRIBE



QUARTER ROUND



OUTSIDE CORNER



DECORATIVE TRIM

- 94" long
- DCTM8 can be used as light rail molding (cleating required)
- Bold line in illustration indicates finished surfaces

### Scribe

SM8

### Quarter Round

QR8


### Outside Corner

OTCM8

### Decorative Trim

DCTM8

## Solid Stock



- 96" long
- May also be used in vertical applications (as a filler) or horizontal applications (as furniture toe)
- Bold line in illustration indicates finished surfaces

### 3" High

S3S396

### 6" High

S3S696

# Hardware SPECIFICATIONS

1951 Foundations does not recommend drilling through any door/drawer joint for installation of decorative hardware. Door and drawer fronts must be adjusted before installing decorative hardware.

## Halo Knobs **NEW!** FINISH



**Satin Nickel**  
KNOB 3106SN



**Matte Black**  
KNOB 3106MB



**Modern Brushed Gold**  
KNOB 3106MG

## Bow Pulls **NEW!** FINISH



**Satin Nickel**  
PULL 3128SN



**Matte Black**  
PULL 3128MB



**Modern Brushed Gold**  
PULL 3128MG

## Classic Knobs **NEW!** FINISH



**Satin Nickel**  
KNOB 3173SN



**Matte Black**  
KNOB 3173MB



**Modern Brushed Gold**  
KNOB 3173MG

## T-Bar Pulls - 5 5/16" **NEW!** FINISH



**Satin Nickel**  
PULL 4701SN



**Matte Black**  
PULL 4701MB



**Modern Brushed Gold**  
PULL 4701MG

## Tempo Knobs **NEW!** FINISH



**Satin Nickel**  
KNOB 0322SN



**Matte Black**  
KNOB 0322MB



**Modern Brushed Gold**  
KNOB 0322MG

# Parts SPECIFICATIONS

SKU	QTY	DOOR		ADJUSTABLE SHELF	
		PART NAME	QTY	PART NAME	QTY
<b>WALL CABINET - 12" HIGH</b>					
W3012 BUTT	2	DR1512 BUTT	-	N/A	
W3612 BUTT	2	DR1812 BUTT	-	N/A	
<b>WALL CABINET - 15" HIGH</b>					
W3015 BUTT	2	DR1515 BUTT	-	N/A	
W3615 BUTT	2	DR1815 BUTT	-	N/A	
<b>WALL CABINET - 18" HIGH</b>					
W3018 BUTT	2	DR1518 BUTT	1	30" SHELF PLY	
W3618 BUTT	2	DR1818 BUTT	1	36" SHELF PLY	
<b>WALL CABINET - 24" HIGH</b>					
W3024 BUTT	2	DR1524 BUTT	1	30" SHELF PLY	
W3624 BUTT	2	DR1824 BUTT	1	36" SHELF PLY	
<b>WALL CABINET - 30" HIGH</b>					
W930	1	DR930	2	9" SHELF PLY	
W1230	1	DR1230	2	12" SHELF PLY	
W1530	1	DR1530	2	15" SHELF PLY	
W1830	1	DR1830	2	18" SHELF PLY	
W2130	1	DR2130	2	21" SHELF PLY	
W2430 BUTT	2	DR1230 BUTT	2	24" SHELF PLY	
W2730 BUTT	2	DR1330 BUTT	2	27" SHELF PLY	
W3030 BUTT	2	DR1530 BUTT	2	30" SHELF PLY	
W3330 BUTT	2	DR1630 BUTT	2	33" SHELF PLY	
W3630 BUTT	2	DR1830 BUTT	2	36" SHELF PLY	
<b>WALL CABINET - 36" HIGH</b>					
W936	1	DR936	2	9" SHELF PLY	
W1236	1	DR1236	2	12" SHELF PLY	
W1536	1	DR1536	2	15" SHELF PLY	
W1836	1	DR1836	2	18" SHELF PLY	
W2136	1	DR2136	2	21" SHELF PLY	
W2436 BUTT	2	DR1236 BUTT	2	24" SHELF PLY	
W2736 BUTT	2	DR1336 BUTT	2	27" SHELF PLY	
W3036 BUTT	2	DR1536 BUTT	2	30" SHELF PLY	
W3336 BUTT	2	DR1636 BUTT	2	33" SHELF PLY	
W3636 BUTT	2	DR1836 BUTT	2	36" SHELF PLY	
<b>WALL CABINET - 42" HIGH</b>					
W942	1	DR942	3	9" SHELF PLY	
W1242	1	DR1242	3	12" SHELF PLY	
W1542	1	DR1542	3	15" SHELF PLY	
W1842	1	DR1842	3	18" SHELF PLY	
W2142	1	DR2142	3	21" SHELF PLY	
W2442 BUTT	2	DR1242 BUTT	3	24" SHELF PLY	
W2742 BUTT	2	DR1342 BUTT	3	27" SHELF PLY	
W3042 BUTT	2	DR1542 BUTT	3	30" SHELF PLY	
W3342 BUTT	2	DR1642 BUTT	3	33" SHELF PLY	
W3642 BUTT	2	DR1842 BUTT	3	36" SHELF PLY	

# Parts SPECIFICATIONS

SKU	QTY	DOOR		ADJUSTABLE SHELF	
		PART NAME	QTY	PART NAME	QTY
<b>BLIND WALL CABINET</b>					
BLW30/3330	1	DR1830	2	30" SHELF PLY	
BLW33/3630	1	DR2130	2	33" SHELF PLY	
BLW30/3336	1	DR1836	2	30" SHELF PLY	
BLW33/3636	1	DR2136	2	33" SHELF PLY	
BLW30/3342	1	DR1842	3	30" SHELF PLY	
BLW33/3642	1	DR2142	3	33" SHELF PLY	
<b>WALL EASY REACH</b>					
WER2430	1	DR1230 WER DRILL	2	WER SHELF PLY	
	1	DR1230 WER ND			
WER2436	1	DR1236 WER DRILL	2	WER SHELF PLY	
	1	DR1236 WER ND			
WER2442	1	DR1242 WER DRILL	3	WER SHELF PLY	
	1	DR1242 WER ND			
<b>CORNER WALL CABINETS</b>					
CW2430	1	DR1530	2	CW SHELF ADJ PLY	
CW2436	1	DR1536	2	CW SHELF ADJ PLY	
CW2442	1	DR1542	3	CW SHELF ADJ PLY	
<b>REFRIGERATOR WALL CABINETS - 12" HIGH</b>					
W3312 X 24 DP BUTT	2	DR1612 BUTT	-	N/A	
W3612 X 24 DP BUTT	2	DR1812 BUTT	-	N/A	
<b>REFRIGERATOR WALL CABINETS - 15" HIGH</b>					
W3315 X 24 DP BUTT	2	DR1615 BUTT	-	N/A	
W3615 X 24 DP BUTT	2	DR1815 BUTT	-	N/A	
<b>REFRIGERATOR WALL CABINETS - 18" HIGH</b>					
W3318 X 24 DP BUTT	2	DR1618 BUTT	1	33" SHELF 24DP PLY	
W3618 X 24 DP BUTT	2	DR1818 BUTT	1	36" SHELF 24DP PLY	
<b>REFRIGERATOR WALL CABINETS - 24" HIGH</b>					
W3324 X 24 DP BUTT	2	DR1624 BUTT	1	33" SHELF 24DP PLY	
W3624 X 24 DP BUTT	2	DR1824 BUTT	1	36" SHELF 24DP PLY	
<b>UTILITY CABINET - WITH ADJUSTABLE SHELVES - 24" DEEP X 84" HIGH</b>					
UT1824 X 84 AS	1	DR1830	5	S1824	
	1	DR1850			
UT2424 X 84 AS BUTT	2	DR1230 BUTT	5	S2424	
	2	DR1250 BUTT			
UT3024 X 84 AS BUTT	2	DR1530 BUTT	5	S3024	
	2	DR1550 BUTT			
<b>UTILITY CABINET - WITH ADJUSTABLE SHELVES - 24" DEEP X 90" HIGH</b>					
UT1824 X 90 AS	1	DR1836	6	S1824	
	1	DR1850			
UT2424 X 90 AS BUTT	2	DR1236 BUTT	6	S2424	
	2	DR1250 BUTT			
UT3024 X 90 AS BUTT	2	DR1536 BUTT	6	S3024	
	2	DR1550 BUTT			

# Parts SPECIFICATIONS

SKU	QTY	DOOR		QTY	ADJUSTABLE SHELF	
		PART NAME			PART NAME	
<b>UTILITY CABINET - WITH ADJUSTABLE SHELVES - 24" DEEP X 96" HIGH</b>						
UT1824 X 96 AS	1	DR1842		7	S1824	
	1	DR1850				
UT2424 X 96 AS BUTT	2	DR1242 BUTT		7	S2424	
	2	DR1250 BUTT				
UT3024 X 96 AS BUTT	2	DR1542 BUTT		7	S3024	
	2	DR1550 BUTT				

SKU	QTY	DOOR		QTY	ADJUSTABLE SHELF	
		FULL OVERLAY	PARTIAL OVERLAY		PART NAME	
		PART NAME	PART NAME			
<b>FULL-HEIGHT BASE</b>						
TB9	1	DR9FH	DR930	-	N/A	
B12 FH	1	DR12FH	DR1230	1	12" SHELF PLY	
B15 FH	1	DR15FH	DR1530	1	15" SHELF PLY	
B18 FH	1	DR18FH	DR1830	1	18" SHELF PLY	
B21 FH	1	DR21FH	DR2130	1	21" SHELF PLY	
B24 BUTT FH	2	DR12BUTT FH	DR1230 BUTT	1	24" SHELF PLY	
B30 BUTT FH	2	DR15BUTT FH	DR1530 BUTT	1	30" SHELF PLY	
B36 BUTT FH	2	DR18BUTT FH	DR1830 BUTT	1	36" SHELF PLY	

SKU	QTY	DRAWER FRONT/PANEL		DRAWER BODY	
		FULL OVERLAY	PARTIAL OVERLAY	PART NAME	
		PART NAME	PART NAME		
<b>KNEEHOLE DRAWER CABINET</b>					
KDC33/27	1	DDFKDC33/27	DDFKDC33/27	DRBKDC33X 15DP DT FD	
<b>THREE DRAWER BASE CABINET</b>					
DB15	1	DDF15	DDF15	DRB15 X 21DP DT FD	
	2	DDF15M	DDF15D	DRB15M X 21DP DT FD	
DB18	1	DDF18	DDF18	DRB18 X 21DP DT FD	
	2	DDF18M	DDF18D	DRB18M X 21DP DT FD	
DB21	1	DDF21	DDF21	DRB21 X 21DP DT FD	
	2	DDF21M	DDF21D	DRB21M X 21DP DT FD	
DB24	1	DDF24	DDF24	DRB24 X 21DP DT FD	
	2	DDF24M	DDF24D	DRB24M X 21DP DT FD	
DB30	1	DDF30	DDF30	DRB30 X 21DP DT FD	
	2	DDF30M	DDF30D	DRB30M X 21DP DT FD	
DB36 1TD	1	DDF36	DDF36	DRB36 X 21DP DT FD	
	2	DDF36M	DDF36D	DRB36M X 21DP DT FD	
<b>VANITY DRAWER BASE</b>					
VDB1234H	1	DDF12	DDF12	DRB12 X 18DP DT FD	
	2	DDF12M	DDF12D	DRB12M X 18DP DT FD	
VDB1534H	1	DDF15	DDF15	DRB15 X 18DP DT FD	
	2	DDF15M	DDF15D	DRB15M X 18DP DT FD	
VDB1834H	1	DDF18	DDF18	DRB18 X 18DP DT FD	
	2	DDF18M	DDF18D	DRB18M X 18DP DT FD	

# Parts SPECIFICATIONS

SKU	QTY	DOOR		ADJUSTABLE SHELF/ACCESSORY		DRAWER FRONT/PANEL		DRAWER BODY
		PART NAME	QTY	PART NAME	QTY	FULL OVERLAY	PARTIAL OVERLAY	PART NAME
						PART NAME	PART NAME	
<b>BASE CABINET - ADJUSTABLE SHELF</b>								
B12	1	DR1224	1	12" SHELF PLY	1	DDF12	DDF12	DRB12 X 21DP DT FD
B15	1	DR1524	1	15" SHELF PLY	1	DDF15	DDF15	DRB15 X 21DP DT FD
B18	1	DR1824	1	18" SHELF PLY	1	DDF18	DDF18	DRB18 X 21DP DT FD
B21	1	DR2124	1	21" SHELF PLY	1	DDF21	DDF21	DRB21 X 21DP DT FD
B24 BUTT	2	DR1224 BUTT	1	24" SHELF PLY	1	DDF24	DDF24	DRB24 X 21DP DT FD
B27 BUTT	2	DR1324 BUTT	1	27" SHELF PLY	1	DDF27	DDF27	DRB27 X 21DP DT FD
B30 BUTT	2	DR1524 BUTT	1	30" SHELF PLY	1	DDF30	DDF30	DRB30 X 21DP DT FD
B33 BUTT	2	DR1624 BUTT	1	33" SHELF PLY	1	DDF33	DDF33	DRB33 X 21DP DT FD
B36 1TD BUTT	2	DR1824 BUTT	1	36" SHELF PLY	1	DDF36	DDF36	DRB36 X 21DP DT FD
<b>BASE CABINET - BOTTOM MOUNT WASTEBASKETS</b>								
BWBB18-2	1	DR1824 ND	1	BWBB18-2_OL KIT	1	DDF18	DDF18	DRB18 X 21DP DT FD
<b>BASE MICROWAVE CABINET</b>								
BMC27	-	-	-	-	2	DDF27	DDF27	DRB27 X 21DP DT FD
<b>BLIND CORNER BASE CABINET</b>								
BLB36/39	1	DR1224	1	27" SHELF PLY	1	DDF12	DDF12	DRB12 X 21DP DT FD
BLB39/42	1	DR1524	1	33" SHELF PLY	1	DDF15	DDF15	DRB15 X 21DP DT FD
BLB42/45	1	DR1824	1	39" SHELF PLY	1	DDF18	DDF18	DRB18 X 21DP DT FD
BLB45/48	1	DR2124	1	45" SHELF PLY	1	DDF21	DDF21	DRB21 X 21DP DT FD
<b>BASE SUPER SUSAN CABINET</b>								
BSS33 (L/R) WD	1	DR930 BER DRILL	2	BSS33 SHLF WD NP PLY	-	N/A	N/A	N/A
	1	DR930 BER ND						
BSS36 (L/R) WD	1	DR1230 BER DRILL	2	BSS36 SHLF WD NP PLY	-	N/A	N/A	N/A
	1	DR1230 BER ND						
<b>BASE EASY REACH CABINET</b>								
BER36 (L/R)	1	DR1230 BER DRILL	-	N/A	-	N/A	N/A	N/A
	1	DR1230 BER ND						
<b>DOUBLE OVEN CABINET</b>								
OVD3384 BUTT	2	DR1618 BUTT	-	N/A	1	DDFOV33	DDF33	DRB33 X 21DP DT FD
OVD3390 AS BUTT	2	DR1624 BUTT	1	S3324	1	DDFOV33	DDF33	DRB33 X 21DP DT FD
OVD3396 AS BUTT	2	DR1630 BUTT	2	S3324	1	DDFOV33	DDF33	DRB33 X 21DP DT FD
SKU	QTY	DOOR			QTY	DRAWER / PANEL FRONT		
		PART NAME				PART NAME		
<b>DEEP SINK BASE CABINET</b>								
DSB36 BUTT	2	DR1821 BUTT			-	N/A		
<b>SINK/COOKTOP BASE CABINET</b>								
SB24 BUTT	2	DR1224 BUTT			1	DDF24		
SB27 BUTT	2	DR1324 BUTT			1	DDF27		
SB30 BUTT	2	DR1524 BUTT			1	DDF30		
SB33 BUTT	2	DR1624 BUTT			1	DDF33		
SB36 BUTT	2	DR1824 BUTT			1	DDF36		
<b>CORNER SINK FRONT</b>								
CSF36	1	DR1524			1	DDF15		
<b>VANITY SINK BASE - 34 1/2" HIGH</b>								
VSB2434H BUTT	2	DR1224 BUTT			1	DDF24		
VSB2734H BUTT	2	DR1324 BUTT			1	DDF27		
VSB3034H BUTT	2	DR1524 BUTT			1	DDF30		
VSB3334H BUTT	2	DR1624 BUTT			1	DDF33		
VSB3634H BUTT	2	DR1824 BUTT			1	DDF36		

# Parts SPECIFICATIONS

DOOR DIMENSIONS		
PART NAME	DIMENSION (FOL)	DIMENSION (POL)
<b>50" HIGH</b>		
DR1250 BUTT	11 23/32" x 49 1/4"	10 15/16" x 47 3/4"
DR1550 BUTT	14 23/32" x 49 1/4"	13 15/16" x 47 3/4"
DR1850	17 9/16" x 49 1/4"	15 7/8" x 47 3/4"
<b>42" HIGH</b>		
DR942	8 9/16" x 41 1/2"	6 7/8" x 40"
DR1242	11 9/16" x 41 1/2"	9 7/8" x 40"
DR1242 BUTT	11 23/32" x 41 1/2"	10 15/16" x 40"
DR1242 WER DRILL	10 3/4" x 41 1/2"	10" x 40"
DR1242 WER ND	10 3/4" x 41 1/2"	10" x 40"
DR1342 BUTT	13 7/32" x 41 1/2"	12 7/16" x 40"
DR1542	14 9/16" x 41 1/2"	12 7/8" x 40"
DR1542 BUTT	14 23/32" x 41 1/2"	13 15/16" x 40"
DR1642 BUTT	16 7/32" x 41 1/2"	15 7/16" x 40"
DR1842	17 9/16" x 41 1/2"	15 7/8" x 40"
DR1842 BUTT	17 23/32" x 41 1/2"	16 15/16" x 40"
DR2142	20 9/16" x 41 1/2"	18 7/8" x 40"
<b>36" HIGH</b>		
DR936	8 9/16" x 35 1/2"	6 7/8" x 34"
DR1236	11 9/16" x 35 1/2"	9 7/8" x 34"
DR1236 BUTT	11 23/32" x 35 1/2"	10 15/16" x 34"
DR1236 WER DRILL	10 3/4" x 35 1/2"	10" x 34"
DR1236 WER ND	10 3/4" x 35 1/2"	10" x 34"
DR1336 BUTT	13 7/32" x 35 1/2"	12 7/16" x 34"
DR1536	14 9/16" x 35 1/2"	12 7/8" x 34"
DR1536 BUTT	14 23/32" x 35 1/2"	13 15/16" x 34"
DR1636 BUTT	16 7/32" x 35 1/2"	15 7/16" x 34"
DR1836	17 9/16" x 35 1/2"	15 7/8" x 34"
DR1836 BUTT	17 23/32" x 35 1/2"	16 15/16" x 34"
DR2136	20 9/16" x 35 1/2"	18 7/8" x 34"
<b>30" HIGH</b>		
DR930	8 9/16" x 29 1/2"	6 7/8" x 28"
DR930 BER DRILL	7 3/4" x 29 7/8"	7" x 28"
DR930 BER ND	7 3/4" x 29 7/8"	7" x 28"
DR1230	11 9/16" x 29 1/2"	9 7/8" x 28"
DR1230 BER DRILL	10 3/4" x 29 7/8"	10" x 28"
DR1230 BER ND	10 3/4" x 29 7/8"	10" x 28"
DR1230 BUTT	11 23/32" x 29 1/2"	10 15/16" x 28"
DR1230 WER DRILL	10 3/4" x 29 1/2"	10" x 28"
DR1230 WER ND	10 3/4" x 29 1/2"	10" x 28"
DR1330 BUTT	13 7/32" x 29 1/2"	12 7/16" x 28"
DR1530	14 9/16" x 29 1/2"	12 7/8" x 28"
DR1530 BUTT	14 23/32" x 29 1/2"	13 15/16" x 28"
DR1630 BUTT	16 7/32" x 29 1/2"	15 7/16" x 28"
DR1830	17 9/16" x 29 1/2"	15 7/8" x 28"
DR1830 BUTT	17 23/32" x 29 1/2"	16 15/16" x 28"
DR2130	20 9/16" x 29 1/2"	18 7/8" x 28"

DOOR DIMENSIONS		
PART NAME	DIMENSION (FOL)	DIMENSION (POL)
<b>24" HIGH</b>		
DR1224	11 9/16" x 23 7/8"	9 7/8" x 22 1/4"
DR1224 BUTT	11 23/32" x 23 7/8"	10 15/16" x 22 1/4"
DR1324 BUTT	13 7/32" x 23 7/8"	12 7/16" x 22 1/4"
DR1524	14 9/16" x 23 7/8"	12 7/8" x 22 1/4"
DR1524 BUTT	14 23/32" x 23 7/8"	13 15/16" x 22 1/4"
DR1624 BUTT	16 7/32" x 23 7/8"	15 7/16" x 22 1/4"
DR1824	17 9/16" x 23 7/8"	15 7/8" x 22 1/4"
DR1824 ND	17 9/16" x 23 7/8"	15 7/8" x 22 1/4"
DR1824 BUTT	17 23/32" x 23 7/8"	16 15/16" x 22 1/4"
DR2124	20 9/16" x 23 7/8"	18 7/8" x 22 1/4"
<b>21" HIGH</b>		
DR1821V BUTT	17 23/32" x 20"	16 15/16" x 18 1/2"
<b>18" HIGH</b>		
DR1518 BUTT	14 23/32" x 17 1/2"	13 15/16" x 16"
DR1618 BUTT	16 7/32" x 17 1/2"	15 7/16" x 16"
DR1818 BUTT	17 23/32" x 17 1/2"	16 15/16" x 16"
<b>15" HIGH</b>		
DR1515 BUTT	14 23/32" x 14 1/2"	13 15/16" x 13"
DR1615 BUTT	16 7/32" x 14 1/2"	15 7/16" x 13"
DR1815 BUTT	17 23/32" x 14 1/2"	16 15/16" x 13"
<b>12" HIGH</b>		
DR1512 BUTT	14 23/32" x 11 1/2"	13 15/16" x 10"
DR1612 BUTT	16 7/32" x 11 1/2"	15 7/16" x 10"
DR1812 BUTT	17 23/32" x 11 1/2"	16 15/16" x 10"
<b>FULL-HEIGHT DOORS</b>		
DR9FH	8 9/16" x 29 7/8"	-
DR12BUTT FH	11 23/32" x 29 7/8"	-
DR12FH	11 9/16" x 29 7/8"	-
DR15BUTT FH	14 23/32" x 29 7/8"	-
DR15FH	14 9/16" x 29 7/8"	-
DR18BUTT FH	17 23/32" x 29 7/8"	-
DR18FH	17 9/16" x 29 7/8"	-
DR21FH	20 9/16" x 29 7/8"	-

DRAWER BODY DIMENSIONS	
PART NAME	DIMENSION
<b>STANDARD DRAWER FRONT</b>	
<b>21" DEEP</b>	
DRB12 X 21DP DT FD	8 1/16" x 21" x 3 1/2"
DRB15 X 21DP DT FD	11 1/16" x 21" x 3 1/2"
DRB18 X 21DP DT FD	14 1/16" x 21" x 3 1/2"
DRB21 X 21DP DT FD	17 1/16" x 21" x 3 1/2"
DRB24 X 21DP DT FD	20 1/16" x 21" x 3 1/2"
DRB27 X 21DP DT FD	23 1/16" x 21" x 3 1/2"
DRB30 X 21DP DT FD	26 1/16" x 21" x 3 1/2"
DRB33 X 21DP DT FD	29 1/16" x 21" x 3 1/2"
DRB36 X 21DP DT FD	32 1/16" x 21" x 3 1/2"
<b>18" DEEP</b>	
DRB12 X 18DP DT FD	8 1/16" x 18" x 3 1/2"
DRB15 X 18DP DT FD	11 1/16" x 18" x 3 1/2"
DRB18 X 18DP DT FD	14 1/16" x 18" x 3 1/2"

# Parts SPECIFICATIONS

## DRAWER BODY DIMENSIONS

PART NAME	DIMENSION
<b>LARGE DRAWERS</b>	
<b>21" DEEP</b>	
DRB15M X 21DP DT FD	11 1/16" x 21" x 7"
DRB18M X 21DP DT FD	14 1/16" x 21" x 7"
DRB21M X 21DP DT FD	17 1/16" x 21" x 7"
DRB24M X 21DP DT FD	20 1/16" x 21" x 7"
DRB30M X 21DP DT FD	26 1/16" x 21" x 7"
DRB36M X 21DP DT FD	32 1/16" x 21" x 7"
<b>18" DEEP</b>	
DRB12M X 18DP DT FD	8 1/16" x 18" x 7"
DRB15M X 18DP DT FD	11 1/16" x 18" x 7"
DRB18M X 18DP DT FD	14 1/16" x 18" x 7"
<b>15" DEEP</b>	
DRBKDC33X 15DP DT FD	22 23/32" x 15" x 2 11/32"

## DRAWER FRONT DIMENSIONS

PART NAME	FULL OVERLAY	PARTIAL OVERLAY
<b>STANDARD DRAWER FRONT</b>		
DDF12	11 9/16" x 5 13/16"	9 7/8" x 5 1/8"
DDF15	14 9/16" x 5 13/16"	12 7/8" x 5 1/8"
DDF18	17 9/16" x 5 13/16"	15 7/8" x 5 1/8"
DDF21	20 9/16" x 5 13/16"	18 7/8" x 5 1/8"
DDF24	23 9/16" x 5 13/16"	21 7/8" x 5 1/8"
DDF27	26 9/16" x 5 13/16"	24 7/8" x 5 1/8"
DDF30	29 9/16" x 5 13/16"	27 7/8" x 5 1/8"
DDF33	32 9/16" x 5 13/16"	30 7/8" x 5 1/8"
DDF36	35 9/16" x 5 13/16"	33 7/8" x 5 1/8"
DDFOV33	32 9/16" x 7 7/16"	-
<b>LARGE DRAWER FRONT</b>		
DDF12D	-	9 7/8" x 10 13/16"
DDF12M	11 9/16" x 11 27/32"	-
DDF15D	-	12 7/8" x 10 13/16"
DDF15M	14 9/16" x 11 27/32"	-
DDF18D	-	15 7/8" x 10 13/16"
DDF18M	17 9/16" x 11 27/32"	-
DDF21D	-	18 7/8" x 10 13/16"
DDF21M	20 9/16" x 11 27/32"	-
DDF24D	-	21 7/8" x 10 13/16"
DDF24M	23 9/16" x 11 27/32"	-
DDF30D	-	27 7/8" x 10 13/16"
DDF30M	29 9/16" x 11 27/32"	-
DDF36D	-	33 7/8" x 10 13/16"
DDF36M	35 9/16" x 11 27/32"	-

## PLYWOOD SHELF DIMENSIONS

PART NAME	DIMENSION
<b>STANDARD DRAWERS</b>	
<b>12" DEEP</b>	
9" SHELF PLY	7 1/4" x 10 1/4" x 3/4"
12" SHELF PLY	10 1/4" x 10 1/4" x 3/4"
15" SHELF PLY	13 1/4" x 10 1/4" x 3/4"
18" SHELF PLY	16 1/4" x 10 1/4" x 3/4"
21" SHELF PLY	19 1/4" x 10 1/4" x 3/4"
24" SHELF PLY	22 1/4" x 10 1/4" x 3/4"
27" SHELF PLY	25 1/4" x 10 1/4" x 3/4"
30" SHELF PLY	28 1/4" x 10 1/4" x 3/4"
33" SHELF PLY	31 1/4" x 10 1/4" x 3/4"
36" SHELF PLY	34 1/4" x 10 1/4" x 3/4"
39" SHELF PLY	37 1/4" x 10 1/4" x 3/4"
45" SHELF PLY	43 1/4" x 10 1/4" x 3/4"
<b>24" DEEP</b>	
33" SHELF 24DP PLY	31 3/16" x 22 1/8" x 3/4"
36" SHELF 24DP PLY	34 3/16" x 22 1/8" x 3/4"
<b>UTILITY CABINET SHELVES</b>	
S1824	16 3/16" x 22 1/8" x 3/4"
S2424	22 3/16" x 22 1/8" x 3/4"
S3024	28 3/16" x 22 1/8" x 3/4"
S3324	31 3/16" x 22 1/8" x 3/4"

## ROLL-OUT ACCESSORY DIMENSIONS

PART NAME	DIMENSION
<b>DEEP ROLL-OUT TRAYS</b>	
DROT15	10 3/4" x 21" x 3 1/2"
DROT18	13 3/4" x 21" x 3 1/2"
DROT21	16 3/4" x 21" x 3 1/2"
DROT24	19 3/4" x 21" x 3 1/2"
DROT27	22 3/4" x 21" x 3 1/2"
DROT30	25 3/4" x 21" x 3 1/2"
DROT33	28 3/4" x 21" x 3 1/2"
DROT36	31 3/4" x 21" x 3 1/2"

# Parts SPECIFICATIONS

HINGES	
PART NAME	DESCRIPTION
HINGE SOL CC6WY 45	Partial Overlay soft-close hinge with 6-way adjustment
HINGE FOL CC6WY 45DP	Full Overlay soft-close hinge with 6-way adjustment
HINGE CCFACEMOUNT 45	Soft-close hinge for oven cabinets
HINGE 170 FRAMED	Door-to-Frame hinge for BER, BSS, or WER cabinet
HINGE ER	Door-to-Door hinge for BER, BSS or WER cabinet
HINGE SPACER SHIM	Shim used between Hinge and Face Frame, adds inward left/right adjustment (for use on hinges as needed)

GLIDES	
PART NAME	DESCRIPTION
GLIDE FD CCL24	Left soft-close drawer glide for 24" deep cabinet
GLIDE FD CCR24	Right soft-close drawer glide for 24" deep cabinet
GLIDE FD CCL21	Left soft-close drawer glide for 21" deep cabinet
GLIDE FD CCR21	Right soft-close drawer glide for 21" deep cabinet
GLIDE FD CCL18	Left soft-close drawer glide for Kneehole Drawer
GLIDE FD CCR18	Right soft-close drawer glide for Kneehole Drawer
GLIDE DROTCC24	Left Full-Access CushionClose® Deep Roll Out Tray Glide
GLIDE DROTCCR24	Right Full-Access CushionClose® Deep Roll Out Tray Glide

SCREWS	
PART NAME	DESCRIPTION
SCREW BRACKET DDF	Screw to attach DDF BRACKET FOL bracket to drawer fronts (2 per bracket)
SCREW BRACKET DRB	Screw to attach DDF BRACKET FOL bracket to drawer bodies (2 per bracket)
SCREW GLIDE CC	Attach glide to front frame (1 per glide)
SCREW HINGE/DR	Screw for hinge to door
SCREW HINGE/FR	Screw for hinge to frame

CLIPS/BRACKETS	
PART NAME	DESCRIPTION
BRACKET GL BD UNI FG	Left/Right back bracket for bottom drawer glides on BMC27
BRACKET GL UD UNI FG	Left/Right back bracket for top drawer glides on BMC27
BRACKET GL B DROTUNI	Back bracket for GLIDE DROTCC __24
CLIP SHELF NP SPIN	Locking shelf clip for spin units
DDF BRACKET FOL	Full Overlay attachment bracket for wastebasket cabinet doors and drawer fronts
DDF BRACKET CCAP FOL	Cover cap for DDF BRACKET FOL
DDF BRACKET SOL	Standard Overlay attachment bracket for wastebasket cabinet doors and drawer fronts
DDF BRACKET CCAP SOL	Cover cap for DDF BRACKET SOL
DRB MOUNT CLIP L FD	Left release clip for drawers
DRB MOUNT CLIP R FD	Right release clip for drawers
DROTFA MOUNT CLIP L	Left release clip for roll out tray
DROTFA MOUNT CLIP R	Right release clip for roll out tray
SPACER GL BD FRT FG	Left/Right front glide spacer for bottom drawer on VDB __34H & DB __ cabinets

WOOD SPIN UNITS	
PART NAME	DESCRIPTION
BSS33 SHLF WD NP PLY	Wood spin unit and plywood shelf for BSS33 WD
BSS36 SHLF WD NP PLY	Wood spin unit and plywood shelf for BSS36 WD

MISCELLANEOUS PARTS	
PART NAME	DESCRIPTION
BUMPER CLEAR	Door bumper - Sheet of 4
BWBB18-2 FOL KIT	Wastebasket kit for FOL BWBB18-2
BWBB18-2 SOL KIT	Wastebasket kit for POL BWBB18-2
CLIP LOCK 3/4 4PK	Plastic clip locks used for base cabinet shelves - 4 Pack
DDF FASTENER	Installation clips for dummy drawer fronts - includes 2 sets and installation screws
SHELF REST METAL 4PK	Metal shelf rests used for wall cabinet shelves - 4 Pack
SHELF SUPT ADJ BASE	Middle shelf rest for 39" or wider Base cabinet shelf
TOUCHUP KIT	Touchup Kit includes a putty stick, touchup marker and a sheet of (4) bumpers
WASTEBASKET 35QT SLV	Silver 35-quart trashcan



**Notes**



A series of horizontal lines for writing notes, starting below the green line and extending to the bottom of the page.



## Quality and Value is Our Style

We proudly back every 1951 Foundations cabinet with a limited lifetime warranty. Every cabinet is thoughtfully crafted to withstand the demands of everyday life while adding a touch of style and timeless charm to any home. With an emphasis on quality and value, 1951 Foundations features all-plywood construction, durable finishes, and soft-close stainless-steel glides and hinges. Homeowners can enjoy years of lasting beauty at an affordable price.



## Service You've Come to Expect

Homeowners, contractors, and distributors all want value-priced cabinetry without compromising on service and support. With 1951 Foundations, you'll get budget-friendly, high-quality cabinetry backed by the same level of service and support our customers have trusted from 1951 Cabinetry for seven decades.

In keeping with our policy of continuous product refinement, 1951 Cabinetry reserves the right to change specifications in design and materials as conditions require.



# 1951<sup>TM</sup>

## Foundations

### Questions?

Contact the Partner Team.

We are here for you.

1-877-957-7278

Monday – Friday 8:00 AM – 7:00 PM EST

P.O. Box 1980

Winchester, Virginia 22604

[www.1951Cabinetry.com/Foundations](http://www.1951Cabinetry.com/Foundations)



Photography is for illustration purposes only. Actual colors may vary slightly due to the printing process. For actual color selections, please consult your 1951 Cabinetry representative. Every effort was made to ensure accuracy of the information contained herein at the time of printing; however, 1951 Cabinetry makes no representations to such accuracies. If you would like further clarification about any of our products or processes, please call the 1951 Cabinetry Partner Team.

51F SPEC GUIDE 3-25 ©2025 American Woodmark Corporation® and 1951 Cabinetry™ are registered trademarks of the American Woodmark Corporation.